

SAFETY DATA SHEET (SDS)

Section 1. Identification			
Product identifier Car Rustproofing – Amber #503-4L / #503-20L			
Recommended use and restrictions on use Rustproofing yearly treatment for cars			
Initial supplier identifier PR Distribution. 6500 in		n. 6500 rue Zéphirin Paquet, Qc, Qc, G2C 0M3 1800-463-5259 www.prdistribution.ca	
Emergency telephone number/restriction on use		use Canada – CANUTEC 24 hour number 613-996-6666	
~ · · · · · · · · · · · · · · · · · · ·			

Section 2. Hazard identification

Classification of hazardous product (name of the category or subcategory of the hazard class)

Skin irritation (Category 3) Eye irritation (Category 2B)

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)



Warning

H316 Causes mild skin irritation.

H320 Causes eye irritation.

P102 Keep out of reach of children. P261 Avoid breathing/ mist/ vapours/spray. Avoid contact with eyes or skin. P264 Wash hands thoroughly after handling. P280 Wear appropriate protective gloves and eye protection equipment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor. P331 Do NOT induce vomiting.

P305+P351 IF IN EYES: Rinse caustiously with water for several minutes. P313 Get medical attention.

P302+P352 IF ON SKIN: Wash with plenty of water. P332+P313 If skin irritation occurs: Get medical attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER or doctor if you feel unwell. P501 Dispose of contents and container in accordance with local regulation.

Other hazards known None		
Section 3. Composition/information on ingredients		
Chemical name (common name/synonyms)	CAS number or other	Concentration (%)
Naphta (petroleum) hydrotrated, heavy (C6-C13)	64742-48-9	< 25
Castion A First aid massaures		

Section 4. Inst-ara measures			
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.		
Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is		
_	rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses		
	of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.		
Skin contact	IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical attention.		
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (15-20 minutes). Remove contact lenses, if present and easy to do.		
*	Continue singing. Cot modical ettention		

Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (15-20 minutes). Remove contact lenses, if present and easy to do Continue rinsing. Get medical attention.				
	Continue misnig. Get medical attention.				
Most important s	symptoms and effects (acute or delayed)	Causes eve irritation.			

Section 5. Fire-fighting measures

Specific hazards of the hazardous product (hazardous combustion products)

Carbon oxides and other irritant/toxic gases and fumes.

Suitable and unsuitable extinguishing media

In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.

Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document.

Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.



Section 7. Handling and storage

Precautions for safe handling

Wear gloves/protective clothing/eye protection/face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: ACGIH – TLV-TWA & PEL-TWA None;

Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists/dust from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

Section	9.	Physica	l and	chemical	properties

Appearance, physical state/colour Viscous liquid/ Amber, opaque	Vapour pressure Not available		
Odour Almond	Vapour density Not available		
Odour threshold Not available	Relative density 0.85±0.05 g/cc (20°C)		
pH Not Applicable	Solubility Insoluble (Water)		
Melting/freezing point < 0 (°C)	Partition coefficient - n-octanol/water Not available		
Initial boiling point/range > 100 (°C)	Auto-ignition temperature Not available		
Flash point Not available	Decomposition temperature Not available		
Evaporation rate Not available (n-butylacetate = 1)	Viscosity 5000-6000 (cps @ 20°C)		
Flammability (solids and gases) Not available	VOC Not available		
Upper and lower flammability/explosive limits Not available	Other None known		

Section 10. Stability and reactivity

Reactivity

Does not react under the recommended storage and handling conditions prescribed.

Chemical stability

Stable under the recommended storage and handling conditions prescribed.

Possibility of hazardous reactions

Stable under the recommended storage and handling conditions prescribed.

Conditions to avoid (static discharge, shock or vibration)

Stable under the recommended storage and handling conditions prescribed.

Incompatible materials

Strong oxidizing materials; strong bases and acids.

Hazardous decomposition products

None known

Section 11. Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)

Causes mild skin irritation. Causes eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Eye and skin irritation, redness, tearing.

Delayed and immediate effects (chronic effects from short-term and long-term exposure)

Skin Sensitization – No data available; Respiratory Sensitization – No data available; Germ Cell Mutagenicity – No data available; Carcinogenicity – No ingredient listed by IARC, ACGIH, NTP or OSHA Reproductive Toxicity – No data available; Specific Target Organ Toxicity — Single Exposure – No data available; Specific Target Organ Toxicity — Repeated Exposure – Possible; Aspiration Hazard – No data available; Health Hazards Not Otherwise Classified – No data available.

Numerical measures of toxicity (ATE; LD_{50} & LC_{50})

Not available



ATE not availab	le in this document.		
	cological information		
	uatic and terrestrial information)		
	e for this product.		
Persistence and			
Bioaccumulativ			
Mobility in soil			
Other adverse			
	sposal considerations		
	safe handling for disposal/methods of disposal/contaminated packaging		
	ents/container into safe container in accordance with local, regional or national regulations.		
	ansport information		
	oper shipping name; Class(es); Packing group (PG) of the TDG Regulations		
	TDG Regulations		
	oper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)		
Not regulated by			
	oper shipping name; Class(es); Packing group (PG) of the IATA (air)		
Not regulated by	/ IATA Code		
Special precaut	ions (transport/conveyance) None		
Environmental	hazards (IMDG or other) None known		
Bulk transport	(usually more than 450 L in capacity) Possible		
Section 15. Re	gulatory information		
	anadian regulations specifics Refer to Section 2 for the appropriate classification. This product has been classified in accordance		
	with the hazard criteria of the Hazardous Products Regulations (HPR).		
Environmental	Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL		
	nvironmental outside regulations specifics		
None known	8		
Section 16, Ot	ther information		
	st revision of the safety data sheet November 10, 2017 / version 01		
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.		
Abbreviations	Butty Butt Sheets from manufacturer, supplier to from cumulant centre for occupational from in an Butty, econo.		
ACGIH	American Conference of Governmental Industrial Hygienists		
ATE	Acute toxicity estimate		
CAS	Chemical Abstract Service		
DSL	Domestic Substance List		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods Code		
LC	Lethal concentration		
LD	Lethal Dosage		
NIOSH	National Institute for Occupational Safety and Health		
NTP	National Toxicology Program (U.S.A.)		
OSHA	Occupational Safety and Health Administration (U.S.A.)		
PEL	Permissible Exposure Limit		
STEL	Short-term Exposure Limit		
TDG	Transport of dangerous goods in Canada		
TLV	Threshold Limit Value		
TSCA	Toxic Substances Control Act		
TWA	Time Weighted Average		
WHMIS	Workplace Hazardous Materials Information System		
	knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability		
TO the best of our i	whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the		

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.