




OUTILS TOOLS



JUIN / JUNE 2018



NOUS SOMMES FIERS DE VOUS PRÉSENTER **NOTRE LIGNE D'OUTILS DEWALT® ET BOSTITCH®**
QUI SE SUBDIVISE EN PLUSIEURS CATÉGORIES DE PRODUITS.

WE ARE PROUD TO PRESENT **DEWALT® TOOLS PRODUCT LINE** WHICH IS SUBDIVIDED INTO SEVERAL CATEGORIES.

Index numérique / Numerical Index	
Rectifieuse / Grinder	3-4
Meule boisseau / Diamond cut wheel	12
Scie / Saw	5
Marteau SDS / SDS L Shape	5
Lumière / Spotlight	6
Radio / Radio	6
Haut-parleur / Speaker	6
Fusil à graisser / Grease gun	6
Perceuse / Drill	7
Impact / Impact	7
Batterie / Battery	7
Balayeuse / Dust extractor	8
Cloueuse / Nailer	9
Brocheuse / Stapler	9
Outils de coupe / Cutter tools	10-11-12

OUTILS / TOOLS
Rectifieuse / Grinder

CODE
303-DWE4120
DWE4120 RECTIFIEUSE 4 1/2" 9 AMPÈRES 1.5 HP (12000 RPM)
GRINDER 4-1/2" (12000 RPM) 9AMP. AC/DC

9 Amp AC/DC, 12,000 rpm motor designed for faster material removal and higher overload protection

- High efficiency motor provides low operating temps
- One-Touch™ Guard allows for 360 degree rotation of the guard with a single action
- Slim, ergonomic body design provides increased comfort in extended use applications
- Low profile, jam-pot gear case increases durability and allows tool to fit into tight spaces
- Quick-Change™ Wheel Release allows tool free wheel removal without need for a wrench
- 2-position removable side handle provides increased comfort and control
- 5/8"-11 spindle thread accepts a wide range of 4-1/2" accessories


CODE
303-D28402
D28402 RECTIFIEUSE 4 1/2" 10 AMPÈRES (11000 RPM)
GRINDER 4-1/2" (11000 RPM) 10 AMP. AC/DC

- Dust Ejection System™ provides durability by ejecting damaging dust and debris particles that enter the tool through the air intake vents.
- Low profile, jam-pot gear case provides precise gear alignment for a smoother, quieter transmission while allowing access to tight spaces
- One-piece brush arm prevents brush hang-up due to dust ingestion. Quick-Change™ Wheel Release allows tool free wheel removal without need for a wrench.
- Keyless adjustable guard provides tool-free guard adjustments, increasing productivity.
- Vibration-reducing side handle increases comfort for extended use applications.
- Auto-off brushes shut the tool down when the brushes need replacing to avoid tool damage.
- Oversized, protected spindle lock button provides easier and quicker wheel changes.
- Paddle switch with safety lock-off prevents accidental start up.
- Matching wheel flanges allow the use of common accessories.


CODE
303-D28065
D28065 RECTIFIEUSE 5"-6" 13 AMPÈRES 1.5 HP (10000 RPM)
GRINDER 5" - 6" (10000 RPM) 13 AMP. AC/DC

- Dust Ejection System™ provides durability by ejecting damaging dust and debris particles that enter the tool through the air intake vents.
- Quick-Change™ Wheel Release allows tool free wheel removal.
- Dual abrasion protection provides increased motor protection from damaging dust and debris ingestion.
- One-piece brush arm prevents brush hang-up due to dust ingestion.
- Vibration-reducing side handle increases comfort for extended use applications
- Low profile, jam-pot gear case provides precise gear alignment for a smoother, quieter transmission while allowing access to tight spaces
- Auto-off brushes shut the tool down when the brushes need replacing to avoid tool damage
- Keyless adjustable guard provides tool-free guard adjustments, increasing productivity


CODE
303-D28066N
D28066N RECTIFIEUSE 5" - 6" 13 AMPÈRES 1.5 HP (10000 RPM)
DOUBLE SÉCURITÉ, AUCUN BOUTON POUR BARRER
GRINDER 5" - 6" (10000 RPM) 13 AC/DC

Angle Grinder, Voltage 120, Spindle Thread Size 5/8 In.-11, Switch Type Trigger, Tool Length 15-1/4 In., Tool Weight 4.8 lb., Speed Type Single, Lock-on No, Lock-off Yes, Handle Design In-Line, Cord Length 10 ft., 1, Features Lock Off, Dust Ejection System, Quick Change, Vibration Reducing Side Handle, Auto Off Brushes, Keyless Adjustable Guard, Includes 2-Position Side Handle, 5 In. and 6 In. Keyless Adjustable Guard, Wrench



OUTILS / TOOLS

Rectifieuses & Meule / Grinder & Cut wheel



CODE

303-DWE46151

DWE46151 ENSEMBLE RECTIFIEUSE 5" - 6" ET GARDE POUSSIERE POUR LE BÉTON

5" / 6" TUCK POINTING SHROUD KIT (KIT INCLUDE)

- D28112 Grinder
- Kit Bag
- DWE46150 5" Shroud
- DW4777T 5" Diamond Turbo Wheel
- DWV9000 Universal Connector



CODE

303-DWE46101

DWE46101 ENSEMBLE RECTIFIEUSE 5" - 6" ET GARDE POUSSIERE POUR LE BÉTON

5" / 6" TUCK POINTING SHROUD KIT (KIT INCLUDE)

- Guard
- Side Handle
- Matched Flange Set
- Wrench
- DWV9000 Universal Connector
- DW4741S 5" X .25" Sandwich Diamond Blade
- Ballistic Nylon Kit Bag



CODE

303-DCG412B

DCG412B : RECTIFIEUSE 4 1/2" - 5" 20 VOLTS MAX OUTIL SEUL

20V MAX CUT-OFF TOOL - TOOL ONLY

- DCG412 Grinder Tool
- Hex Wrench
- Type 27 Grinding Guard
- 2-Position Side Handle
- 5" X 1/4" T27 Metal Grinding Wheel



CODE

303-DCS355B


DCS355B - OSCILLANT MULTI-TOOL 20 VOLTS MAX (OUTIL SEUL)

L'outil polyvalent oscillant sans fil DCS355B est doté d'un moteur sans brosse qui fournit une autonomie jusqu'à 57 % plus longue comparativement au moteur avec balais. • L'outil est doté du système de changement rapide d'accessoires. • Contrôle de vitesse variable DUAL-GRIP™. • Lumière LED intégré. • lames coupe rapide • Adaptateur d'accessoire universel.

20V MAX* XR OSCILLATING MULTI-TOOL (TOOL ONLY)

DEWALT Brushless Motor delivers up to 57% more run time over brushed. • QUICK-CHANGE™ Accessory System allows blades and attachments to be changed quickly without wrenches.

- DUAL-GRIP™ Variable Speed Trigger gives users ultimate speed and application control.
- Bright LED Light illuminates dark work surfaces for accurate cutting.
- Universal accessory adapter for use with most oscillating tool accessory brands
- wood with nails blade. • fast-cut wood blade.


OUTILS / TOOLS
Scie & Impact / Saw & Impact

CODE
303-D28710
D28710 : SCIE À MÉTAL 14" 15 AMPS
14" CHOP SAW 15 AMP DEWALT

14" Abrasive Wheel

- Wrench
- QUICK-LOCK Vise allows for fast clamping on different size materials to increase productivity
- 45° pivoting fence allows for fast and accurate angle cuts
- Spindle Lock allows user to make wheel changes quickly and easily, saving time and money
- Integrated top handle allows the saw to be carried around easily
- On-board wheel change wrench allows for convenient storage and greatly reduces the risk of lost wrenches. • High performance aluminum oxide grain wheels provides for long life, fast cutting, and smoother running wheels. • Compression spring provides smoother movement and increased durability versus torsion springs


CODE
303-DCS380B
DCG380B SCIE ALTERNATIVE 20 VOLTS MAX - OUTIL SEUL
20V MAX LITHIUM ION RECIPROCATING SAW (TOOL ONLY)

4-Position Blade Clamp allows for flush cutting and increased positional versatility with tool free blade changes.

- 1-1/8" stroke length delivers a faster cutting speed.
- Variable speed trigger with 0-3000 spm provides increased blade control and faster cut speed.
- Pivoting adjustable shoe extends blade life and allows depth of cut control.
- Rubber over molded comfort grip delivers optimal comfort and control
- Double oil sealed shaft resists contamination and increases durability.


CODE
303-DCS391B
DCG391B SCIE CIRCULAIRE 20 VOLTS MAX - OUTIL SEUL
20V MAX LITHIUM ION CIRCULAR SAW (TOOL ONLY)

- Powerful 460 MWO, 5,250 RPM motor delivers power and speed to make the most demanding cuts with ease
- High strength and lightweight magnesium shoe provides jobsite durability for long-term cut accuracy
- Optimized rubber overmolded comfort grip delivers optimal balance and control
- 0°-50° bevel capacity allows for aggressive bevel cuts for a multitude of applications
- 6-1/2" carbide tipped blade for cutting 2x material at 90° and 45° and more cuts per charge


CODE
303-D25323K
D25323K MARTEAU SDS PLUS 1 POUCE 8 AMPÈRES
SDS - L SHAPE, 8 AMPS WITH SHOCKS

Active Vibration Control® Reduces vibration felt by the user at the handles. A Perform and Protect feature. 0-1,150 RPM, 0-4,300 BPM

- Variable speed trigger allows user to instantly control speed from 0 to dialed setting
- Delivers 2.8 Joules of Impact Energy, providing fast drilling and powerful chipping
- Mode selector allows for usage in rotary hammer, rotary only, and chiseling applications
- Reversing feature helps release tool from bind up situations, and assists with removal of fasteners. • Integral clutch reduces sudden, high torque reactions if bit jams
- 360 degree side handle adjusts easily for preference or use in tight spaces
- Dust Extraction Connection allows the use of the D25300DH dust collection system



CODE
303-DCL043

DCL043 LUMIÈRE 20V MAX 4 INTENSITÉ - OUTIL SEUL

20V MAX* JOBSITE LED SPOTLIGHT

- 3 Bright LED's illuminates dark jobsite work areas. • 1 Bright RED LED to preserve night vision.
- 2 Brightness settings provides flexibility for maximum light output or extended runtime.
- 90 Degree Pivoting Head provides versatility for lighting work surfaces.
- Distance - Can be seen up to 508 yards or 1,525 feet.
- Pivoting head allows for hands-free operation and light to be projected in multiple direction while standing on its base.
- Belt hook to provide increased versatility for transportation and a hands free use in multiple placements. • Integral hook for hands free use in multiple placements.
- Over-molded lens cover provides increased durability and a non-marring surface for the jobsite.



CODE
303-DCR015

DCR015 RADIO DE CHANTIER 12V ET 20V MAX

12V/20V MAX* WORKSITE CHARGER RADIO

- 2 AMP Charger for 12V Max & 20V Max DEWALT Battery Packs allows for quick and convenient battery charging. • Runs off 12V Max & 20V Max DEWALT batteries making it a cordless radio capable or running off rechargeable and reusable battery power. • 2 AC Power Outlets offer more versatility for jobsite power. • Auxiliary & USB Ports allows for connection to CD, MP3, Portable Satellite Receivers, and other digital audio devices. • USB port allows device to be charged via USB when radio is plugged into a wall outlet. • Device storage box protects electronic devices from jobsite debris while plugged into Aux or USB ports. • Class D amplifier, woofers and tweeters provide full range of high and low sound for optimum sound quality



CODE
303-DCR006

DCR006 HAUT-PARLEUR BLUETOOTH

JOBSITE BLUETOOTH SPEAKER

- AC/DC Powered
- Runs Off DEWALT 12V/20V MAX* Battery Packs
- Bluetooth 4.0
- Up to 100 ft Range
- AC /DC USB Power & Aux Ports
- Rubber Overmold and Feet
- Compact Size for Improved Portability and Storage



CODE
303-DCGG570B

DCGG570B FUSIL À GRAISSER 18 VOLTS MAX - OUTIL SEUL

18V MAX LITHIUM ION GREASE GUN (TOOL ONLY)

- Powerful motor delivers 9,000 max psi to power through clogged grease fittings.
- High-volume pump pushes up to 5.0 oz/min high-flow applications.
 - Variable speed trigger offers precise control of the grease flow
 - 42" extra-long and flexible hose designed for reaching hard to access grease fittings.
 - Bright LED light assists in locating hard to see grease fittings in low-light situations
 - Innovative anti-debris filter prevents dirt and contamination from clogging the pump mechanism.
 - Integrated no-mar foot design allows operators to rest the tool on flat surfaces
 - Air-bleeder valve assists in pump priming after cartridge changes

OUTILS / TOOLS

Perceuse, impact et radio / Radio, Drill & Impact



CODE
303-DCK296M2

DCK296M2 : ENSEMBLE PERCEUSE ET IMPACT 20V MAX SANS BROSSE - 2 X BATTERIES 4 AMPS

20V MAX* XR LITHIUM ION BRUSHLESS PREMIUM HAMMER-DRILL & IMPACT DRIVER COMBO KIT

Included:

- DCD995 1/2" Hammerdrill
- DCF886 1/4" Impact Driver
- (2) 20V MAX* XR High Capacity Li-Ion Batteries (4.0Ah)
- Fast charger, • (2) Belt Hooks. • (1) Bit Holder. • 360° side handle
- Contractor Bag



CODE
303-DCK592L2

DCK592L2 ENSEMBLE DE 5 OUTILS 20V MAX + 2 BATTERIES 3 AMPS

20V MAX 5 TOOL (DCD985, DCF885, DCS380 RECIP

included:

- DCD985 1/2" Hammerdrill
- DCS380 Reciprocating Saw
- DCF885 1/4" Impact Driver
- DCS391 6 1/2" Circular Saw
- DCL040 LED Work Light
- (2) 20V MAX* Lithium Ion 3.0 Ah Battery Packs, • Fast Charger, • 360° Side Handle
- Belt Hook, • Carbide Tipped Blade, • Contractor Bag,



CODE
303-DCF889M2

DCF889M2 IMPACT 1/2 TORQUE 400 PIED LIVRES

20V MAX LI-ION 1/2" HT IMPACT WRENCH (DETENT

400 ft-lbs of maximum torque to perform a wide range of heavy-duty fastening applications

- XR Li-Ion batteries with fuel gauge provide 33% more capacity over standard packs
- Variable speed trigger with electric brake provides user improved control
- LED light provides user greater visibility when working in dark environments
- Durable magnesium gear case and all metal transmission for extended durability

Included:

- Fast Charger, • 2) DCB204: 20V* MAX XR Premium Li-Ion Batteries (4.0 Ah), • Kit Bag



**BATTERIE LITHIUM ION
20V MAX
3 AMPS (3.0 AH)
20V MAX* LITHIUM ION
BATTERY PACK**

CODE
303-DCB200



**ENSEMBLE 2 BATTERIES
LITHIUM ION 20V MAX
4 AMPS (4.0 AH)
20V MAX* PREMIUM XR
LITHIUM ION 2-PACK**

CODE
303-DCB204-2



**BATTERIE LITHIUM ION
20V MAX
5 AMPS (5.0 AH)
20V MAX* LITHIUM ION
BATTERY PACK**

CODE
303-DCB205



**BATTERIE
18V XRP NI-CAD
18V XRP™ BATTERY PACK**

CODE
303-DC9096



CODE
303-DWV012

DWV012 BALAYEUSE 10 GALLONS AVEC FILTRES HEPA (140 CFM)

10 GALLON WET/DRY HEPA DUST EXTRACTOR WITH AUTOMATIC FILTER CLEANING

CARACTÉRISTIQUES DU PRODUIT

- Filtre automatique impulsions Nettoyer toutes les 30 secondes pour les opérations continues sans arrêter pour nettoyer le filtre
- moteur 15 Amp puissant délivre 140 CFM de débit d'air pour l'aspiration maximale
- Opérations de l'aspirateur avec un outil de puissance ON / OFF
- Rencontre le plomb EPA Renovations connexes, réparation et peinture (RRP) Règle pour aspirateur à filtre HEPA seulement quand DWV9320 filtre est utilisé (Filtre inclus avec l'appareil)
- aspiration variable contrôle la puissance de la consommation et de la quantité de vide de l'aspiration
- La poignée télescopique pour un transport facile
- raccord de tuyau universel fournit une connexion solide avec une capacité de pivotement
- Léger et portable pesant seulement £ 33,5
- roues robustes et roulettes de verrouillage offrent une durabilité chantier
- Multiplelift et points d'arrimage pour sécuriser aspirateur pour échafaudages ou pendant le transport
- Simple opération d'interrupteur pour sélectionner l'actionnement de l'outil ou vac seulement
- Appareil livré entièrement monté
- Peut être utilisé avec des applications humides ou secs Aspirateurs sec/humide

PRODUCT FEATURES

- Automatic Filter Clean pulses every 30 seconds for continuous operations without stopping to clean filter
- Powerful 15 Amp motor delivers 140 CFM of airflow for maximum suction
- Power Tool Actuation controls the On/Off operations of the vacuum with a power tool
- Meets the EPA Lead Related Renovations, Repair and Painting (RRP) Rule for Hepa Vacuum only when DWV9320 Filter is used (Filter included with unit)
- Variable Suction controls vacuum's power consumption and amount of suction
- Telescoping handle for easy transport
- Universal hose connector provides a robust connection with swivel capability
- Lightweight and portable weighing in at only 33.5 lbs
- Heavy duty wheels and locking casters provide jobsite durability
- Multiplelift and tie down points to secure vac to scaffolding or during transportation
- Simple one switch operation to select tool actuation or vac only
- Unit comes fully assembled
- Can be used with wet or dry applications



**ADAPTATEUR POUR BALAYEUSE
(BOYAU LARGE)
SWEEPER ADAPTER (LARGE GUT)**

CODE
303-DWV9190



**ADAPTATEUR POUR BALAYEUSE
(1-1/4")
SWEEPER ADAPTER (1-1/4")**

CODE
303-DWV9170



**ADAPTATEUR POUR BALAYEUSE
(35MM)
SWEEPER ADAPTER (35MM)**

CODE
303-DWV9130

OUTILS / TOOLS

Cloueuses Bostitch® / Bostitch® Nailer



CODE

653-RN46-1

RN46-1 CLOUEUSE À TOITURE BOSTITCH®

RN46-1 ROOFING NAILER

Zero nail lockout feature eliminates dry firing and indicates when to reload the magazine
Nosepiece features carbide inserts for long-life performance
Aggressive wear guards and skid pads protect the tool from damage on abrasive surfaces
Quick-set adjustable depth guide sets nails to desired depths quickly and conveniently
Patented single-action side load canister for fast, one-step nail loading
Adjustable shingle guide for quick shingle spacing



CODE

653-LPF33PT

CLOUEUSE À CHARPENTE À BANDE 33 DEGRÉ BOSTITCH®

33° LOW PROFILE PAPER COLLATED FRAMING NAILER

Low-profile design for getting in-between rafters and in tight spaces
Tool-free selectable trigger allows for single-drive (Sequential Nailing) or multi-drive (Bump ailing) modes with the flip of a switch
Tool-free depth of drive adjustment designed for precise sinking of fasteners
Internal air filter protects engine from harmful contaminants such as dirt and debris
Adjustable rafter hook designed so end-users can use both hands when needed
Last nail retention magnet prevents last nail from dropping out of the nose



CODE

653-N66C-1

CLOUEUSE À PAREMENT BOSTITCH®

COIL SIDING NAILER BOSTITCH®

Drives wire weld and plastic inserted coil nails. Adjustable depth guide sets nails to desired depths quickly and conveniently. Lightweight aluminum design for added durability
Soft rubber foot prevents damage to softer woods. Tool-free adjustable exhaust conveniently directs exhaust away from the user
Fastener Length: 1-1/4" - 2-1/2"
Fastener Diameter: .080" - .092"



CODE

653-MIIIIFS

BROCHEUSE À PLANCHER BOSTITCH®

FLOORING STAPLER BOSTITCH®

High-speed, mallet actuated pneumatic operation increases productivity over manual methods. Extra-wide composite base plate for added stability (1/2" and 3/4" base plates included) . Long reach handle for improved comfort and control (short handle optional)
Kit includes: Stapler, Graphite Mallet, Pre-Finished Flooring Adapter Foot.

OUTILS / TOOLS

Outils de coupe / Cutter tools



CODE
303-D180014

D180014 EMPORTE PIÈCE 7/8 DEWALT®

7/8" (22MM) BI-METAL HOLE SAW



CODE
303-D180021

D180021 EMPORTE PIÈCE 15/16 DEWALT®

15/16" (24MM) BI-METAL HOLE SAW



CODE
303-D180056

D180056 EMPORTE PIÈCE 3 1/2 DEWALT®

3-1/2" (89MM) BI-METAL HOLE SAW



CODE
303-DW1801

DW1801 MANDRIN EMPORTE PIÈCE DEWALT®

BI-METAL HOLE SAWS: HOLE SAW MANDRELS



CODE
303-DWHT20547L

DWHT20547L ENSEMBLE SCIE À FER 5 DANS 1 DEWALT®



CODE
303-DWHT33373

DWHT33373 TAPE DEWALT 25 PIEDS 1-1/8 LARGE DEWALT®

OUTILS / TOOLS

Outils de coupe / Cutter tools



DWA41612B LAME SCIE ALTERNATIVE 12" 6TPI 2X PAQUET DE 25

CODE
303-DWA41612B



DWA4166B LAME SCIE ALTERNATIVE 6" 6TPI 2X PAQUET DE 25

CODE
303-DWA4166B



DWA4169B LAME SCIE ALTERNATIVE 9" 6TPI 2X PAQUET DE 25

CODE
303-DWA4169B



DWA5320 POINTE SDS PLUS ACIER HSS

CODE
303-DWA5320



DWA5321 TRANCHE SDS PLUS 1-1/2" X 12"

CODE
303-DWA5321



DWA5322 TRANCHE SDS PLUS 3/4" X 12"

CODE
303-DWA5322



CODE
303-DWA5852



DWA5852 POINTE SDS MAX 16"



CODE
303-DWA5853

DWA5853 TRANCHE SDS MAX 1" X 16



CODE
303-DWA5854

DWA5854 TRANCHE SDS MAX 2" X 16"



CODE
303-DWA5855

DWA5855 TRANCHE SDS MAX 3" X 16"



CODE
303-DWA5856



DWA5856 BOUCHARDE SDS MAX



CODE
303-DW4777

DW4777 MEULE BOISSEAU 5" DOUBLE RANGÉE

- Forte concentration de diamant pour l'enlèvement agressif de la matière
- Grands segments de broyage avec corps en acier traités à la chaleur pour augmenter la durabilité du produit

5" XP DOUBLE ROW DIAMOND CUP WHEEL DEWALT

- High Diamond concentration for long life and aggressive material removal
- Large Grinding segments with heat treated steel bodies which provides increases durability and wheel life



STANLEY

BOSTITCH®



OUTILS / TOOLS

Index numérique / Numerical index

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
303-D180014	10	303-DCF889M2	7	303-DW4777	12	303-DWE4120	3
303-D180021	10	303-DCG412B	4	303-DWA41612B	11	303-DWE46101	4
303-D180056	10	303-DCGG570B	6	303-DWA4166B	11	303-DWE46151	4
303-D25323K	5	303-DCK296M2	7	303-DWA4169B	11	303-DWHT20547L	10
303-D28065	3	303-DCK592L2	7	303-DWA5320	11	303-DWHT33373	10
303-D28066N	3	303-DCL043	6	303-DWA5321	11	303-DWV012	8
303-D28402	3	303-DCR006	6	303-DWA5322	11	303-DWV9130	8
303-D28710	5	303-DCR015	6	303-DWA5852	12	303-DWV9170	8
303-DC9096	7	303-DCS355B	4	303-DWA5853	12	303-DWV9190	8
303-DCB200	7	303-DCS380B	5	303-DWA5854	12	653-LPF33PT	9
303-DCB204-2	7	303-DCS391B	5	303-DWA5855	12	653-MIIIFS	9
303-DCB205	7	303-DW1801	10	303-DWA5856	12	653-N66C-1	9
						653-RN46-1	9



LEADER
EN FOURNITURES
INDUSTRIELLES

Siège social

6500, rue Zéphirin-Paquet
Parc industriel Armand-Viau
Québec (Qc) Canada G2C 0M3
T : 418 872-6018 F : 418 872-6583

Succursale

1100, rue Manic
Chicoutimi (Qc) Canada G7K 1A2
T : 418 545-1100 F : 418 545-1104



STANLEY

BOSTITCH®

1 800 463-5259

www.prdistribution.ca



Inscrivez-vous à notre bulletin électronique
et suivez-nous sur Facebook !

