

HANDLING › Hand Trucks and Drum Equipments

> Hand Trucks - Light-Duty

- ◆ All welded steel structure;
- ◆ Measures 20" wide x 46 " high;
- ◆ Nose plate 8" deep x 14" wide;
- ◆ Two types of handles: Double or round;
- ◆ The double handle models are equipped with rubber handles;
- ◆ A 24" foldable extension model is available, useful for large bags;
- ◆ Blue baked powder coated paint;
- ◆ Load capacity of 600 lb.

› Model 0510F



› Model 58810F



Available on quantity orders only. Please contact us if a quote is required.

> Hand Trucks - Heavy-Duty

› Model 0610



› Model 0630



- ◆ All welded steel structure;
- ◆ Come with 8" mold-on rubber casters, 3/4" bearings;
- ◆ Handles have non-slip rubber handles;
- ◆ Blue baked powder coated paint;
- ◆ Capacity of 1100 lb.

› Model 0635



› Model 0640



Available on quantity orders only. Please contact us if a quote is required.

> Drum Trucks

› Model 0920



- ◆ Designed for safe handling of 45-gallon drums or equivalent with the minimum of effort;
- ◆ Sliding chime hook adjusts to drum;
- ◆ Provided with non-slip rubber handles;
- ◆ Blue baked powder coated paint;
- ◆ 1100 lb. load capacity.

MODEL	DESCRIPTION	WT (lb.)
0920	Drum truck, 10" flat free wheels on front & 6" on back	70

> Drum Dollies

› Model 0933



› Model 0933-5



- ◆ Designed to move 45-gallon drums;
- ◆ Come with all swiveling casters;
- ◆ Perfect to turn empty drums into mobile containers;
- ◆ Blue baked powder coated paint;
- ◆ Capacity of 1000 lb.

› Model 0934



Available on quantity orders only. Please contact us if a quote is required.

> Low Profile Drum Truck

› Model 0950



- ◆ Moves full open 45-gallon drums or equivalent without spilling the contents;
- ◆ The low level frame allows easy loading of drums;
- ◆ The truck can be pushed or pulled with the hinged handle moving forward or backwards;
- ◆ Rolls on two 8" rubber casters and one 5" swiveling rubber caster;
- ◆ Blue baked powder coated paint;
- ◆ 1000 lb. load capacity.

Available on quantity orders only. Please contact us if a quote is required.

> Heavy-Duty Shelf Trucks

- ◆ Choice of two up to five shelves;
- ◆ Essentials that blend in every environment;
- ◆ All welded construction;
- ◆ Comes with 5" quiet and non-marking "Manulastic" casters, 2 swiveling and 2 rigid;
- ◆ Blue baked powder coated paint;
- ◆ Load capacity of 1200 lb.



› Model 1015



› Model 1020



› Model 1025



› Model 1030



MODEL	DESCRIPTION W x D x H	WT (lb.)
1015-A	2 shelves, 18 x 24 x 36"	55
1015-A-D	2 shelves, 18 x 24 x 36" lips down	55
1015-B	2 shelves, 18 x 30 x 36"	60
1015-B-D	2 shelves, 18 x 30 x 36" lips down	60
1015-C	2 shelves, 24 x 24 x 36"	70
1015-C-D	2 shelves, 24 x 24 x 36" lips down	70
1015-F	2 shelves, 24 x 48 x 36"	85
1015-F-PNEU	2 shelves, 24 x 48 x 39", 8" pneumatic casters, load capacity of 800 lb.	95


MODEL	DESCRIPTION W x D x H	WT (lb.)
1020-A	3 shelves, 18 x 24 x 36"	65
1020-B	3 shelves, 18 x 30 x 36"	70
1020-B-D	3 shelves, 18 x 30 x 36" lips down	70
1020-C	3 shelves, 24 x 36 x 36"	80
1020-C-D	3 shelves, 24 x 36 x 36" lips down	80
1020-C-PNEU	3 shelves, 24 x 36 x 39", 8" pneumatic casters, load capacity of 800 lb.	80
1020-F	3 shelves, 24 x 48 x 36"	105

MODEL	DESCRIPTION W x D x H	WT (lb.)
1025-F	4 shelves, 24 x 36 x 51"	135
1025-C	4 shelves, 24 x 48 x 51"	165

MODEL	DESCRIPTION	POIDS (lb)
1030-F	5 shelves, 24 x 36 x 65"	155
1030-C	5 shelves, 24 x 48 x 65"	175

> KD Shelf Trucks

› Model 1020-C-KD



- ◆ To be bolted, hardware included;
- ◆ Ships in a box to save on freight costs;
- ◆ Upper shelf may be bolted up or down;
- ◆ Comes with 5" non-marking "Manulastic" casters;
- ◆ Blue baked powder coated paint;
- ◆ Load capacity of 800 lb.

MODEL	DESCRIPTION W x D x H	WT (lb.)
1015-B-KD	2 shelves, 18 x 30 x 36" to be bolted	65
1015-C-KD	2 shelves, 24 x 36 x 36" to be bolted	70
1020-B-KD	3 shelves, 18 x 30 x 36" to be bolted	70
1020-C-KD	3 shelves, 24 x 36 x 36" to be bolted	80

> Stock Picking Trucks

› Model 1041-B



- ◆ Facilitate picking and stocking tasks;
- ◆ Tilted list holder and clip allows easier listing of data;
- ◆ Choice of 2 or 3 shelves;
- ◆ Comes with 5" non-marking "Manulastic" casters;
- ◆ Blue baked powder coated paint;
- ◆ Load capacity of 1200 lb.

MODEL	DESCRIPTION W x D x H	WT (lb.)
1041-A	2 shelves, 18 x 30 x 36"	75
1041-B	2 shelves, 24 x 36 x 36"	85
1041-D	3 shelves, 18 x 30 x 36"	90
1041-E	3 shelves, 24 x 36 x 36"	95

> Utility Trucks

› Model 1520



- ◆ Ideal and easy to maneuver in narrow aisles;
- ◆ Comes with a list holder shelf that can be pulled down when not in use;
- ◆ Front rubber bumpers;
- ◆ Comes with 5" non-marking "Manulastic" casters;
- ◆ Blue baked powder coated paint;
- ◆ Load capacity of 1200 lb.

MODEL	DESCRIPTION W x D x H	WT (lb.)
1520	Pull-down shelf, 18 x 47 x 37"	75
1521	Pull-down shelf, 18 x 36 x 37"	70

HANDLING › Trucks & Carts

> Stock Picking Trucks

› Model 1605



- ◆ Two units in one. A ladder and truck to pick and move out of reach merchandise;
- ◆ Spring loaded step-lock system holds truck in place under user weight;
- ◆ Non-slip steps;
- ◆ Comes with 5" non-marking "Manulastic" casters;
- ◆ Blue baked powder coated paint;
- ◆ Load capacity of 1200 lb.

› Model 1620



MODEL	DESCRIPTION W x D x H	WT (lb.)
1605	5-step 20 x 48 x 78	155
1615	5-step 20 x 48 x 78	145
1620	5-step 20 x 48 x 55	155

> Convertible Cart

› Model 1510



- ◆ Converts into a platform truck when one-piece shelf and posts are removed;
- ◆ Front rubber bumpers included;
- ◆ Comes with 5" Manulastic casters;
- ◆ Blue baked powder coated paint;
- ◆ Load capacity of 1200 lb.

MODEL	DESCRIPTION W x D x H	WT (lb.)
1510	Convertible: Removable shelf, 24 x 36 x 42"	90

> Hook-On Bin Cart

› Model 1070



- ◆ Made to receive various sizes of plastic bins;
- ◆ All-welded construction as all AFG-Brome products;
- ◆ Comes with 5" Manulastic casters, 2 swivel & 2 rigid;
- ◆ Blue baked powder coated paint;
- ◆ Plastic bins not included (see accessories);
- ◆ Load capacity of 1200 lb.

MODEL	DESCRIPTION W x D x H	WT (lb.)
1070	Optional plastic bins, 24 x 36 x 36"	65
1080	Optional plastic bins, 24 x 36 x 52"	75

> Miscellaneous Trucks



› Model 1044

- ◆ Handle at 36" from floor, upper shelf at 25";
- ◆ Distance between shelves is 13.75";
- ◆ Shelves lips down;
- ◆ Comes with 5" non-marking Manulastic casters;
- ◆ Blue baked powder coated paint;
- ◆ Load capacity of 1200 lb.

MODEL	DESCRIPTION W x D x H	WT (lb.)
1044-A	2 shelves, 18 x 30 x 36", 5" Manulastic casters	85
1044-B	2 shelves, 24 x 36 x 36", 5" Manulastic casters	100
1044-D	2 shelves, 24 x 48 x 36", 5" Manulastic casters	115



› Model 1045

- ◆ Extra heavy duty model made of 11 gauge steel;
- ◆ Handle at 36" or 38" from floor, upper shelf at 30 or 32" (depending on type of casters);
- ◆ Distance between shelves is 20.75";
- ◆ Shelf lips up;
- ◆ Blue baked powder coated paint;
- ◆ With 6" rubber casters load capacity is 1800 lb.
- ◆ With 8" rubber casters load capacity is 2000 lb.

MODEL	DESCRIPTION W x D x H	WT (lb.)
1045-A	2 shelves, 24 x 36 x 36" H, 6" rubber casters	120
1045-C	2 shelves, 24 x 48 x 36" H, 6" rubber casters	130
1045-E	2 shelves, 27 x 54 x 36" H, 6" rubber casters	135
1045-G	2 shelves, 30 x 48 x 36" H, 6" rubber casters	140
1045-I	2 shelves, 30 x 60 x 36" H, 6" rubber casters	155
1045-B	2 shelves, 24 x 36 x 38" H, 8" rubber casters	130
1045-D	2 shelves, 24 x 48 x 38" H, 8" rubber casters	140
1045-F	2 shelves, 27 x 54 x 38" H, 8" rubber casters	145
1045-H	2 shelves, 30 x 48 x 38" H, 8" rubber casters	150
1045-J	2 shelves, 30 x 60 x 38" H, 8" rubber casters	165

› Model 1046



- ◆ Has no handle for better movements of large boxes or items;
- ◆ Height at top shelf is 34" from floor;
- ◆ Distance between shelves is 25.75";
- ◆ Comes with 5" non-marking Manulastic casters;
- ◆ Shelves lips down;
- ◆ Blue baked powder coated paint;
- ◆ Load capacity of 1200 lb.

MODEL	DESCRIPTION W x D x H	WT (lb.)
1046-A	2 shelves, 24 x 36 x 34" H, 5" Manulastic casters	90
1046-B	2 shelves, 24 x 48 x 34" H, 5" Manulastic casters	110
1046-C	2 shelves, 24 x 60 x 34" H, 5" Manulastic casters	120
1046-D	2 shelves, 30 x 60 x 34" H, 5" Manulastic casters	125

> Flat-Bed Truck

› Model 1351



- ◆ Flat bed truck designed to move laminated sheets, melamine, drywall and other paneling in an horizontal position;
- ◆ They prevent damage done on paneling edges/corners;
- ◆ Supplied with six 6" polyurethane casters, corner are swiveling, center casters are rigid;
- ◆ Yellow baked powder coated paint;
- ◆ Load capacity of 4000 lb.

MODEL	DESCRIPTION W x D x H	WT (lb.)
1351	Flat bed truck, 30 x 60 x 30"	150

> Four-Divider Trucks

› Model 8200



- ◆ Designed to hold and move various types of paneling, lumber, doors;
- ◆ The 30" x 60" model has four swiveling casters at their corner, 2 rigid center casters;
- ◆ Choice of 6" rubber or high quality non-marking 6" Resilex casters;
- ◆ Rubber bumpers (optional) can be fitted to deck corners;
- ◆ Yellow baked powder coated paint;
- ◆ Load capacity of 1800 lb. with rubber casters; 2000 with Resilex.

MODEL	DESCRIPTION W x D x H	WT (lb.)
8200-6CA	24 x 48", 6" rubber casters, 2 swivel & 2 rigid	130
8200-6RE	24 x 48", 6" Resilex casters, 2 swivel & 2 rigid	130
8201-6CA	30 x 48", " rubber casters, 2 swivel & 2 rigid	140
8201-6RE	30 x 48", 6" Resilex casters, 2 swivel & 2 rigid	140
8201-R-6CA	30 x 60", " rubber casters, 4 swivel & 2 rigid	150
8201-R-6RE	30 x 60", 6" Resilex casters, 4 swivel & 2 rigid	150

› Model 8211



- ◆ Designed to move and hold various types of paneling or large boxes, doors;
- ◆ Choice of 6" Resilex casters for load capacity of 2000 lb. or rubber casters for load capacity of 1800 lb., 2 swiveling & 2 rigid;
- ◆ The 30" x 60" model has four swiveling casters at its corners, 2 rigid center casters;
- ◆ Rubber bumpers (optional) can be fitted to deck corners;
- ◆ Yellow baked powder coated paint.

MODEL	DESCRIPTION W x D x H	WT (lb.)
8211-6CA	4 equal height posts, 6" rubber casters, 30 x 48 x 33.5"	130
8211-6RE	4 equal height posts, 6" Resilex casters, 30 x 48 x 33.5"	130
8212-6CA	4 equal height posts, 6" rubber casters, 30 x 60 x 33.5"	145
8212-6RE	4 equal height posts, 6" Resilex casters, 30 x 60 x 33.5"	145

> Sheet and Panel Trucks

› Model 1450



- ♦ All welded heavy duty trucks to handle plywood sheets and other paneling;
- ♦ Supplied with 6" rubber casters, 2 swivel & 2 rigid;
- ♦ Choice of angled deck or A-Frame structure;
- ♦ Blue baked powder coated paint;
- ♦ Load capacity of 1800 lb.

MODEL	DESCRIPTION W x D x H	WT (lb.)
1450-A	Angled deck, 24 x 48 x 45"	75
1450-B	Angled deck, 30 x 48 x 45"	85
1450-C	Angled deck, 30 x 60 x 45"	100

› Model 1454



MODEL	DESCRIPTION W x D x H	WT (lb.)
1454-A	A-Frame structure, 24 x 36 x 57"	70
1454-B	A-Frame structure, 24 x 48 x 57"	75
1454-C	A-Frame structure, 30 x 48 x 57"	95
1454-D	A-Frame structure, 30 x 60 x 57"	110
1454-E	A-Frame structure, 36 x 72 x 57"	125

› Model 1425



- ♦ Specially designed to move plywood sheets, drywall, lumber products, pipes, mouldings and boxes all at once;
- ♦ Comes with rubber bumpers on all four corners;
- ♦ 5" non-marking casters, 2 swiveling & 2 rigid;
- ♦ Green baked powder coated paint;
- ♦ Load capacity of 1200 lb.

MODEL	DESCRIPTION W x D x H	WT (lb.)
1425-HD	Lumber truck 24 x 36 x 40"	80

> Zinc Plated Deck Nestable Truck

› Model 7350



- ♦ Rust-free zinc plated mess deck, allows drainage of liquids;
- ♦ Nests like grocery carts to save space when not in use;
- ♦ Easy to maneuver in tight aisles;
- ♦ 5" Manulastic casters, 2 swiveling & 2 rigid;
- ♦ Frame and basket in green baked powder coated paint;
- ♦ Load capacity of 1200 lb.

MODEL	DESCRIPTION W x D x H	WT (lb.)
7350	Nestable cart, 23 x 42 x 36" H	60

> Steel Deck Platform Trucks

› Model 1310



- ◆ Extra heavy duty reinforced steel deck platform trucks;
- ◆ Removable 1.25" tubular handle can be put on either end of platform;
- ◆ Built-in cups for handle is safer and more durable;
- ◆ Wide range of sizes and casters;
- ◆ Blue baked powder coated paint;
- ◆ Up to 2000 lb. load capacity.

1200 lb. capacity 5" Manulastic casters

1800 lb. capacity 6" rubber casters

2000 lb. capacity 8" rubber casters

DIMENSIONS W x D	MODEL	WT (lb.)	MODEL	WT (lb.)	MODEL	WT (lb.)
24" x 36"	1310-A5BL	55	1310-A6CA	65	1310-A8CA	75
24" x 48"	1310-B5BL	60	1310-B6CA	70	1310-B8CA	80
30" x 48"	1310-C5BL	65	1310-C6CA	75	1310-C8CA	85
30" x 60"	1310-D5BL	75	1310-D6CA	85	1310-D8CA	95
36" x 72"	1310-E5BL	85	1310-E6CA	95	1310-E8CA	105
30" x 72"	1310FA5BL	95	1310-F6CA	105	1310-F8CA	115

1800 lb. capacity 6" phenolic casters

2000 lb. capacity 6" Resilex casters

2000 lb. capacity, 8" phenolic casters

DIMENSIONS W x D	MODEL	WT (lb.)	MODEL	WT (lb.)	MODEL	WT (lb.)
24" x 36"	1310-A6PH	65	1310-A6RE	65	1310-A8PH	75
24" x 48"	1310-B6PH	70	1310-B6RE	70	1310-B8PH	80
30" x 48"	1310-C6PH	75	1310-C6RE	75	1310-C8PH	85
30" x 60"	1310-D6PH	85	1310-D6RE	85	1310-D8PH	95
36" x 72"	1310-E6PH	95	1310-E6RE	95	1310-E8PH	105
30" x 72"	1310-F6PH	105	1310-F6RE	105	1310-F8PH	115

> Choice of casters for platform trucks models 1310 and 1315



chemical and abrasion.

Manulastic: The 5" Manulastic, also called blue casters, have a capacity of 1200 lb. per set. Won't leave marks on the floor and roll silently. Resist mild



leave marks on the floor. This type of caster is often requested for its quality-price ratio.

Rubber: The 6" rubber caster set has a capacity of 1800 lb., the 8" set of 2000 lb. May



they offer less resistance on the floor and therefore facilitate the transportation of heavy loads. Will however deteriorate when used on floors with debris or humidity.

Phenolic: The 6" phenolic caster set has a capacity of 1800 lb., the 8" of 2000 lb. Having a very hard tire tread,

> Wooden Deck Platform Trucks

› Model 1315



- ◆ Extra heavy duty reinforced wooden deck platform trucks;
- ◆ Removable 1.25" tubular handle can be put on either end of platform;
- ◆ Built-in cups for handle is safer and more durable;
- ◆ Wide range of sizes and casters;
- ◆ Blue baked powder coated paint;
- ◆ Up to 2000 lb. load capacity.

These wooden deck platform trucks are available in quantity orders only. Please contact us shall a quote is required.

> Choice of casters for platform trucks models 1310 and 1315



Resilex: The 6" Resilex caster set has a load capacity of 2000 lb. Resilex casters won't leave marks on the floor and roll quietly.

Resist mild chemical, abrasion and distortion. Comes with high quality roller bearings. High-end casters as for their quality, durability and maneuverability.



Pneumatic: Low load capacity of 800 lb., pneumatic wheels are required if equipment is used on uneven floors or

gravel paths. Require maintenance.

Corner bumpers: Optional corner bumpers can be installed on all platform trucks.



> Wagon Style Platform Truck

› Model 1335



- ◆ Handle is linked to a front-wheeled directional system;
- ◆ Easy to maneuver with its FLAT FREE 10" pneumatic wheels;
- ◆ Choice of steel or wooden deck;
- ◆ Blue baked powder coated paint;
- ◆ Load capacity of 800 lb.

DIMENSIONS D x W	Steel deck		Wooden deck	
	MODEL	WT (lb.)	MODEL	WT (lb.)
24 x 48	1335-A	95	1335-D	100
30 x 60	1335-B	110	1335-E	115
36 x 72	1335-C	120	1335-F	125

> Three-Sided Trucks

› Model 1110



- ◆ Specially designed to move and store bulky merchandise, supplies, parts or packaged goods;
- ◆ Choice of solid metal or expanded metal sides;
- ◆ Sides are 48" high above steel deck;
- ◆ Optional adjustable shelves available;
- ◆ Comes with 5" non-marking Manulastic casters;
- ◆ Blue baked powder coated paint;
- ◆ Load capacity of 1200 lb.

MODEL	DESCRIPTION W x D x H	WT (lb.)
1110-A	Metal sheet sides, 24 x 36 x 52"	100
1110-B	Metal sheet sides, 24 x 48 x 52"	115
1110-C	Metal sheet sides, 30 x 60 x 52"	130

› Model 1130



MODEL	DESCRIPTION W x D x H	WT (lb.)
1130-A	Expanded metal sides, 24 x 36 x 52"	90
1130-B	Expanded metal sides, 24 x 48 x 52"	105
1130-C	Expanded metal sides, 30 x 60 x 52"	115

- ◆ Specially designed for all types of overhead work;
- ◆ Double-lock gate and non-slip checker floor with 4" high kick-plate all around;
- ◆ Supplied with fork pockets for safe lifting with forklift truck;
- ◆ 78" high mesh back-screen;
- ◆ Both safety work platforms meet specific safety requirements depending on their use and are certified by an engineer;
- ◆ Measure 36" W x 42" D x 78" H;
- ◆ Safety yellow backed powder coated paint;
- ◆ May be fitted with casters for added mobility (optional).



› Model 1951



The 1951 safety work platform meets the ASME B56,1-2005 safety requirements AND the Quebec's construction site safety regulations (C.S-2,1, R.6) of articles 3,8 AND 3,10,7. Engineer certificate available and safety plate affixed to each unit.

Discontinued product

› Model 1950N




The 1950N safety work platform meets the international safety requirements of ANSI: ASME B56,1-2005 and the Quebec's law of Occupational Health & Safety, articles 261 and 348. An engineering certificate is available upon request. Safety plate affixed to each unit.

MODEL	DESCRIPTION	WT (lb.)
1950N	For in or outdoor use, OFF construction sites	175
2103	Optional set of casters, 5" Manulastic, 2 swiveling & 2 rigid	19

> Unique AGF Pull-N-Roll Safety Ladders

The AGF-Brome ladders with their unique Pull-N-roll lever system, offer total stability. They are certainly some of the most sturdy and safe on the market. The user must pull the lever to activate the rolling mechanism and release it once in place, assuring total and safe stability.



Simply pull the lever to lift ladder's feet.

Release to get them back on the ground.

- ◆ Comply with all safety requirements: ANSI, OSHA and CSA;
- ◆ Certified by an independent engineer;
- ◆ Certificate and safety plate provided;
- ◆ Non-slip steps and top step;
- ◆ 3 to 7-step models have a 13" deep top step;
- ◆ 8 to 16-step ladders have a 20" deep top step;
- ◆ High 41" guardrail around top step;
- ◆ Load capacity of 600 lb.

LEVER SYSTEM LADDERS—24" USABLE WIDTH STEPS AND TOP STEP

MODEL	DESCRIPTION	DIMENSIONS OH: W x D x H	WT (lb.)
1573G-24	3-step ladder, 24" W steps With 13" D top step	28" x 30" x 68"	88
1574G-24	4-step ladder, 24" W steps With 13" D top step	28" x 36" x 77"	105
1575G-24	5-step ladder, 24" W steps With 13" D top step	28" x 43" x 86"	126
1576G-24	6-step ladder, 24" W steps With 13" D top step	28" x 51" x 95"	150
1577G-24	7-step ladder, 24" W steps With 13" D top step	36" x 59" x 104"	173
1578G-24	8-step ladder, 24" W steps With 20" D top step	36" x 73" x 113"	204
1579G-24	9-step ladder, 24" W steps With 20" D top step	36" x 81" x 122"	231
1580G-24	10-step ladder, 24" W steps With 20" D top step	36" x 89" x 131"	248
1581G-24	11-step ladder, 24" W steps With 20" D top step	36" x 96" x 140"	275
1582G-24	12-step ladder, 24" W steps With 20" D top step	36" x 104" x 149"	302
1583G-24	13-step ladder, 24" W steps With 20" D top step	36" x 112" x 158"	325
1584G-24	14-step ladder, 24" W steps With 20" D top step	36" x 119" x 167"	347
1586G-24	16-step ladder, 24" W steps With 20" D top step	36" x 134" x 185"	363

To obtain the height of the top step, please subtract 41" (Guardrail) from the indicated total height of ladder

> Unique AGF Pull-N-Roll Safety Ladders

› Model 1574G-18



LEVER SYSTEM LADDERS—18" WIDE STEPS AND TOP STEP

MODEL	DESCRIPTION	DIMENSIONS OA; W x D x H	WT (lb.)
1573G-18	3-step ladder, 18" W steps With 13" D top step	22" x 30" x 68"	72
1574G-18	4-step ladder, 18" W steps With 13" D top step	22" x 36" x 77"	86
1575G-18	5-step ladder, 18" W steps With 13" D top step	22" x 43" x 86"	104

Optional Rotate-In-Place 4" center casters kit makes ladder rotate on itself. Useful in tight aisles.

MODEL	DESCRIPTION
1570BAZ2	Optional "Rotate-In-Place caster kit

Optional removable chains on back portion of guard-rail to reach a mezzanine, per example.

MODEL	DESCRIPTION
1500GARDECH	Optional removable chains

> Step Ladder

› Model 1531-24



- ◆ Choice of 18" or 24" usable width;
- ◆ 13" deep;
- ◆ Slip resistant step;
- ◆ Load capacity of 300 lb.

MODEL	DESCRIPTION	WT (lb.)
1531-18	Step ladder 20" W x 19" D x 12" H	19
1531-24	Step ladder 26" W x 19" D x 12" H	22

> Tilt-to-Roll Ladders

The unique balanced design allows effortless tilt of these ladders. Meets ANSI A14.7 safety requirement.

> Model 1563-2413



- ◆ When back on their feet, they offer total stability;
- ◆ 4" grey rubber front casters (2);
- ◆ Choice of 13" or 20" deep top step;
- ◆ 18" or 24" wide usable width;
- ◆ 41" high guardrails over platform;
- ◆ Blue baked powder coated paint;
- ◆ 500 lb. load capacity.

MODEL	DESCRIPTION	DIMENSIONS W x D x H	WT (lb.)
1562-1813	2-Step ladder, 18" W step, 13" D top step	20" x 20" x 59"	30
1563-1813	3-Step ladder, 18" W step, 13" D top step	20" x 27" x 68"	40
1564-1813	4-Step ladder, 18" W step, 13" D top step	20" x 31" x 77"	55
1565-1813	5-Step ladder, 18" W step, 13" D top step	20" x 43" x 86"	65

> Model 1564-2413



MODEL	DESCRIPTION	DIMENSIONS W x D x H	WT (lb.)
1562-2413	2-Step ladder, 24" W step, 13" D top step	26" x 20" x 59"	40
1563-2413	3-Step ladder, 24" W step, 13" D top step	26" x 27" x 68"	50
1564-2413	4-Step ladder, 24" W step, 13" D top step	26" x 31" x 77"	65
1565-2413	5-Step ladder, 24" W step, 13" D top step	26" x 43" x 86"	75

MODEL	DESCRIPTION	DIMENSIONS W x D x H	WT (lb.)
1562-2420	2-Step ladder, 24" W step, 20" D top step	26" x 27" x 59"	40
1563-2420	3-Step ladder, 24" W step, 20" D top step	26" x 34" x 68"	40
1564-2420	4-Step ladder, 24" W step, 20" D top step	26" x 38" x 77"	65
1565-2420	5-Step ladder, 24" W step, 20" D top step	26" x 50" x 86"	75

> Model 1562P-2413



- ◆ Meets the CSA CAN3-Z11 safety requirement, safety plate affixed;
- ◆ The rear casters provide ergonomic manoeuvrability;
- ◆ 1" diameter handle, 25" long over the top step, with non-slip rubber handle;
- ◆ Top step 24" wide by 13" deep, 18";
- ◆ Rolls on 5" non-marking rubber casters;
- ◆ Non-slip rubber tips under ladder's feet;
- ◆ Blue baked powder coated paint;
- ◆ Load capacity of 300 lb.

MODEL	DESCRIPTION	WT (LB.)
1562P-2413	32" W x 22" D x 43" H, with handle	36

> Spring Loaded Caster Ladders

These spring loaded caster ladders are an economical alternative. Operates with adjustable springs that compress under user's weight. For more safety we recommend using lever system of Tilt-To-Roll ladder models.

› Model 1534N-24



- ◆ All come with 3" swiveling casters (4);
- ◆ Choice of with or without guardrails;
- ◆ All come with 13" wide steps and top step;
- ◆ Slip resistance steps and top step;
- ◆ 300 lb. load capacity

DESCRIPTION	MODEL	18" wide steps and top step	
		DIMENSIONS W x D x H	WT (lb.)
2-step without guardrails	1532N-18	20" x 20" x 18"	20
3-step without guardrails	1533N-18	20" x 27" x 27"	25
4-step without guardrails	1534N-18	20" x 31" x 36"	35
3-step with guardrails	1533GN-18	20" x 27" x 68"	45
4-step with guardrails	1534GN-18	20" x 31" x 77"	60

Available with guardrails



DESCRIPTION	MODEL	24" wide steps and top step	
		DIMENSIONS W x D x H	WT (lb.)
2-step without guardrails	1532N-24	26" x 20" x 18"	25
3-step without guardrails	1533N-24	26" x 27" x 27"	35
4-step without guardrails	1534N-24	26" x 31" x 36"	40
3-step with guardrails	1533GN-24	26" x 27" x 68"	50
4-step with guardrails	1534GN-24	26" x 31" x 77"	65

> Accessories

ACCESSORIES

MODEL	DESCRIPTION
421201	Rubber corner bumper for platform trucks and carts
421001	Rubber handle 1" for Pull-N-Roll lever and serial 500 hand trucks
421002	Rubber handle 1-1/4" for serial 600 Hand Trucks
421004	1" diameter round rubber tip for step ladder and ladder-trucks
421007	1" square plastic cap for rolling safety ladders feet
421012	2" x 1" rectangular plastic cap for rolling safety ladder feet



421201



421012 & 421007



421001



421004

> Cross-Over Ladders

The Cross-Over ladders are specially designed to be installed over a conveyor belt for safe access from one side to the other.

› Model 1553-A



- ◆ These ladders meet all safety requirements: ANSI, OSHA and CSA, certification plate affixed;
- ◆ Bolt-down foot plate for floor-fixation;
- ◆ Slip-resistant steps and top step;
- ◆ Guardrail extends 41" above platform on both side;
- ◆ Four different platform lengths available;
- ◆ 24" usable width;
- ◆ 600 lb. Load capacity.

DESCRIPTION	24" LONG PLATFORM			31" LONG PLATFORM		
	MODEL	FREE SPACE	WT	MODEL	FREE SPACE	WT
3-step, 68" H	1551-A	22" W x 24" H	170	1551-B	29" W x 24" H	180
4-step, 77" H	1552-A	22" W x 33" H	210	1552-B	29" W x 33" H	220
5-step, 86" H	1553-A	22" W x 42" H	240	1553-B	29" W x 42" H	250
6-step, 95" H	1554-A	22" W x 51" H	290	1554-B	29" W x 51" H	300

DESCRIPTION	49" LONG PLATFORM			56" LONG PLATFORM		
	MODEL	FREE SPACE	WT	MODEL	FREE SPACE	WT
3-step, 68" H	1551-C	47" W x 24" H	190	1551-D	54" W x 24" H	210
4-step, 77" H	1552-C	47" W x 33" H	230	1552-D	54" W x 33" H	250
5-step, 86" H	1553-C	47" W x 42" H	260	1553-D	54" W x 42" H	280
6-step, 95" H	1554-C	47" W x 51" H	310	1554-D	54" W x 51" H	330

> Double-Access Rolling Ladders

These rolling ladders with the unique AGF Pull-N-Roll lever system are designed for machinery, equipment and vehicles maintenance crew. Provide a safe access to working zone.

› Model 1543-B



- ◆ Meet all safety requirements: ANSI, OSHA and CSA, certification plate affixed;
- ◆ Operate with unique AGF lever system;
- ◆ Slip-resistant steps and top step;
- ◆ Guardrail extends 41" above platform on one side;
- ◆ Three different platform lengths available;
- ◆ 24" usable width;
- ◆ 600 lb. Load capacity.

DESCRIPTION	49" LONG PLATFORM			63" LONG PLATFORM			70" LONG PLATFORM		
	MODEL	DIMENSIONS OA	WT (lb.)	MODEL	DIMENSIONS OA	WT (lb.)	MODEL	DIMENSIONS OA	WT (lb.)
3-step	1543-A	28"W x 77"D x 68"H	170	1543-B	28"W x 91"D x 68"H	190	1543-C	28"W x 98"D x 68"H	210
4-step	1544-A	28"W x 91"D x 77"H	230	1544-B	28"Wx105"D x 77"H	230	1544-C	28"Wx 112"D x 77"H	250
5-step	1545-A	28"Wx105"D x 86"H	260	1545-B	28"Wx119"D x 86"H	260	1545-C	28"Wx 126"D x 66"H	280



401002



402024 et 401006



402025

402027



403006, 403004 & 403005



404007 & 404006



404010 & 404009



404060 & 404059



404004



406002

CASTERS FOR DRUM CRADLES AND DOLLIES

MODEL	DESCRIPTION	WT
401002	3" polypropylene swiveling caster for dollies model 0933 & 0934	2

CASTERS FOR ROLLING LADDERS

MODEL	DESCRIPTION	WT
401006	3" swiveling grey rubber caster for 3 to 5-step ladders	2
402024	4" swiveling grey rubber caster for 6 –step ladder and over and spring load- ed caster ladders	3
402025	4" rigid grey rubber casters for 1570BAZ2 Rotate-In-Place kit	3
402027	4" grey rubber caster without plate for "Tilt-N-Roll" ladders	2

CASTERS FOR TRUCKS AND CARTS

MODEL	DESCRIPTION	WT
403004	5" swiveling blue rubber caster (Manulastic) pivotante for trucks and carts	5
403005	5" swiveling with brake blue rubber caster (Manulastic) for trucks and carts	5
403006	5" rigid blue rubber caster (Manulastic) for trucks and carts	5
404006	6" Mold-On rubber swiveling caster for trucks and carts	8
404007	6" Mold-On rubber rigid caster for trucks and carts	8
404009	6" swiveling phenolic caster for trucks and carts	7
404010	6" rigid phenolic caster for trucks and carts	7
404013	6" swiveling resilex caster for trucks and carts	8
404014	6" rigid resilex caster for trucks and carts	8
404019	6" swiveling with brake resilex caster for trucks and carts	9
404059	6" swiveling polyurethane (red) caster for lumber trucks	8
404060	6" rigid polyurethane (red) caster for lumber trucks	8
405012	8" swiveling phenolic casters for trucks and carts	10
405013	8" rigid phenolic caster for trucks and carts	10
405010	8" swiveling mold-on rubber caster for trucks and carts	11
405011	8" rigid mold-on rubber caster for trucks and carts	11

HAND TRUCK CASTERS AND WHEELS

MODEL	DESCRIPTION	WT
404004	6" polypropylene caster with 5/8" bearing for model 0920 Hand truck	7
406087	8" - "Flat Free" wheel, 5/8" bearing for handtrucks with 8" wheels	10
406002	10" pneumatic "Flat free" wheel, 5/8" bearing for hand trucks with Flat Free	12

> Self-Dumping Hoppers



› Model 2020



- ◆ Designed to dump entire load when unlatched and automatically return to upright position when empty;
- ◆ Unique rocker system offers a more efficient unloading through added momentum in forward tilt;
- ◆ Supplied standard with forklift slots for safe transportation and unloading;
- ◆ Stackable 2 by 2 (models up to 3 cu. Yds) for freight savings;
- ◆ Models 1/2 to 1 cu. Yd can be moved with a pallet truck;
- ◆ Blue baked powder paint finish.

DESCRIPTION	DIMENSIONS OA: W x D x H	10 gauge steel		3/16" steel		1/4" steel	
		MODEL	WT (lb.)	MODEL	WT (lb.)	MODEL	WT (lb.)
1/4 cubic yard	38.00" x 45,50" x 26,50"	2005-A	292	2005-B	388	2005-C	447
1/2 cubic yard	42.75" x 54,50" x 32,50"	2010-A	385	2010-B	525	2010-C	605
3/4 cubic yard	42.75" x 60,50" x 36.00"	2015-A	425	2015-B	581	2015-C	659
1 cubic yard	42.75" x 65,50" x 41,50"	2020-A	500	2020-B	658	2020-C	770
1-1/2 cubic yard	54,50" x 65,50" x 41,50"	2025-A	575	2025-B	736	2025-C	871
2 cubic yards	66.00" x 65,50" x 41,50"	2030-A	621	2030-B	795	2030-C	1000
3 cubic yards	66.00" x 79,50" x 46.00"	2035-A	760	2035-B	975	2035-C	1217
4 cubic yards	66.00" x 77,50" x 59.00"	2040-A	903	2040-B	1187	2040-C	1457

OPERATING PROCESSES



A chain linked to the unlock system is pulled to activate forward tilt of hopper.



The hopper tilts to unload its contents.



Hopper will return to its locked position when empty.

› Optional casters & wheels



All hoppers can be fitted with casters or wheels at any time. They are bolted underneath the forklifts slots.

MODEL	DESCRIPTION	WT (lb.)
2131	Set of 6" Mold-on rubber casters (2 swiveling & 2 rigid)	29
2133	Set of 6" phenolic casters (2 swiveling & 2 rigid)	29
2135	Set of 8" Mold-on rubber casters (2 swiveling & 2 rigid)	39
2136	Set of 8" cast-iron casters (2 swiveling & 2 rigid)	49
2137	Set of 8" phenolic casters (2 swiveling & 2 rigid)	39
610004	Extra HD spring, 7" x 1.375" for hoppers	
610003	Standard spring 8.25" x 0.75" for hoppers	

› Optional folding lid



Optional easy to install folding lids are available for all hopper models to protect their content. Simple and easy to install.

MODEL	DESCRIPTION
2070-05	Optional folding lid for hopper model 2005
2070-10	Optional folding lid for hopper model 2010
2070-15	Optional folding lid for hopper model 2015
2070-20	Optional folding lid for hopper model 2020
2070-25	Optional folding lid for hopper model 2025
2070-30	Optional folding lid for hopper model 2030
2070-35	Optional folding lid for hopper model 2035
2070-40	Optional folding lid for hopper model 2040

